Application/Control Number: 10/719,551

Art Unit: 1793

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Harvey Cohen on February 14, 2007.

The application has been amended as follows:

Claims 49 and 50, line 2, delete "and" and insert "or".

The following is an examiner's statement of reasons for allowance: The prior art of record, either alone or in combination, fails to anticipate or render obvious the instantly claimed composition. As argued by applicant', the prior art fails to teach or suggest solubilization of a Group VIB metal component, but an insufficient amount of phosphorus component to solubilize the Group VIII metal containing component. There is no suggestion or motivation for selection of this amount of phosphorus component that will result in a composition wherein the Group VIII metal component is not solubilized.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/719,551

Art Unit: 1793

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elizabeth D. Wood whose telephone number is 571-272-1377. The examiner can normally be reached on M-F, 5:30-2:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jerry Lorengo can be reached on 571-272-1233. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Elizabeth D. Wood/ Primary Examiner, Art Unit 1793 Elizabeth D. Wood Primary Examiner Art Unit 1793

EDW